


PIG® Ultra-Duty Adhesive-Backed Grippy® Floor Mat

GRP36200 Indoor Use on Concrete, Vinyl, Linoleum, Tile and Laminate Flooring, 3' W x 100' L, 1 roll



Hassling with rubber-backed or rental mats? Upgrade to our super-safe, adhesive-backed ultra-duty floor mat. Absorbent and versatile, this adhesive floor mat creates a safe, slip-resistant walking surface in entrances, aisleways, and wet areas like doorways, breakrooms, loading docks, and under fountains or beverage stations. It absorbs water, oil, and grease, traps dirt and salt, dries quickly, and prevents moisture from reaching the floor—ensuring safety and cleanliness with unmatched performance.



- 3' x 100' mediumweight roll allows you to customize the amount of walk off and floor coverage you need to provide a high-traction walking surface in wet problem spots for customers and employees; replaces outdated rental and rubber-backed floor mats and rugs
- Place in doorways and entrances, walkways and aisleways, transition areas, breakrooms and cafeterias, along produce walls or floral displays, on production floors, ramps and loading docks, beneath water fountains, ice machines and beverage stations or under liquid hazard areas
- Adhesive-backed floor mat stays exactly where you put it with no shifting, bunching up or ripples that cause slips and trips
- Dries out quickly; liquidproof barrier layer prevents moisture from soaking through to the floor
- Absorbs water, oil and grease and traps dirt and salt to keep it from being tracked around
- Stays in place for up to 3 to 6 months, depending on conditions and traffic patterns
- Weighs less than rental and rubber-backed mats for less hassle, saves you up to 50% per year on rental contracts and has a lower environmental impact
- Easy to clean: you can sweep, vacuum, mop, use your shop/wet vac or run your floor

- scrubber over Grippy Mat and it won't budge
- The thinnest commercial floor mat you can buy: no rippled edges to obstruct doors or create tripping hazards. ADA compliant for wheelchairs and walkers; carts and pallet jacks roll right over it
- Sticks to most commercial floor surfaces including concrete, vinyl, linoleum, tile and laminate flooring
- Tested and Certified by the National Floor Safety Institute (NFSI): high-traction surfaces such as PIG Ultra-Duty Grippy Mat have been proven to reduce slip-and-fall claims by as much as 90%
- See Resources & Downloads section for product use guidance



Item#	Description	Dimensions	Weight
GRP36200-BK		3' W x 100' L	25 lbs.
GRP36200-GY		3' W x 100' L	25 lbs.

Metric Equivalent:

Item#	Description	Dimensions	Weight
GRP36200-BK		91cm W x 30m L	11.3 kg
GRP36200-GY		91cm W x 30m L	11.3 kg

Specifications

Absorbency Range	1 - 9.9 gal.
Dimensions	3' W x 100' L
Mat Weight	Mediumweight
Absorbency	Up to 8 gal. per roll
Brand	PIG
Category	Grippy® Ultra-Duty Absorbent Mat
Flammability Specifications	Flame Resistant - Will melt and self-extinguish
Fluid Absorbed	Water; Grease; Oils
Indoor/Outdoor	Indoor Use
Incinerable	Yes
Industry	Commercial Facilities/Retail

Intended Use	Indoor Use on Concrete, Vinyl, Linoleum, Tile and Laminate Flooring
Traffic	Heavy Foot Traffic; Carts & Equipment
UV Resistant	No
Sold as	1 roll
Weight	25 lbs.
# per Pallet	18
Composition	Absorbent: Polypropylene Adhesive Backing: Proprietary Adhesive Material
UNSPSC	47131901
Pigalog® Page Number	<u>Page 247</u>

Metric Equivalent

Absorbency	Up to 30.3 L per roll
Weight	11.3 kg
Dimensions	91cm W x 30m L

Technical Information

Certifications, Approvals and Ratings

ADA Compliant,NFSI Certified,ANSI B101.1- 2009

Technical Documents

[PIG Adhesive-Backed Mats](#)

[The Complete Slip, Trip & Fall Risk Zone Audit](#)

[New Pig Adhesive-Backed Mat Disclaimer and Warranty Info](#)

[Instructions for PIG Grippy Mat Application, Cleaning and Care Guide](#)

[Technical Data Sheet for PIG® Adhesive-Backed Grippy Mat](#)

[White Paper- The Walk Zone Safety Report](#)

[29 CFR 1910.22\(a\)\(2\)](#)

Disclaimers

Color Variation Statement

It is normal for top layer materials to show minor variations in color between production runs. This is particularly true for the grades of materials used in consumable or disposable products such as our adhesive-backed mats. New Pig makes every effort to achieve consistent color, but some variance is possible. Perceived differences in color may also result from mat layout orientation or uneven traffic wear patterns.

Safety Instructions Regarding PIG Grippy Absorbency and Flame Resistance

All absorbents, including Grippy Absorbent Mats, take on the properties of the liquids they have absorbed, including flammables. When handling used absorbents, including Grippy Absorbent Mats, you must utilize all necessary safety precautions that are required to safely handle the liquid which has been absorbed. This includes taking proper precautions against potential ignition in handling and disposal of these mats if they have absorbed flammable liquids. For further assistance, please call Technical Services.

Adhesive Notice

All adhesive mats have some potential to leave residue, lift and/or discolor 1) surface finish, 2) surface coating, 3) paint, 4) loose or previously damaged tiles. For these reasons and others, if you have questions about the suitability of New Pig Adhesive-Backed Mats or Films for your application, test a small section of the mat in a discreet or non-critical area before using on larger areas.



New Pig

World's best stuff for leaks, drips and spills.

One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com