


PIG® Paint Booth Mat with Adhesive Backing

MAT32300 Indoor Use on Concrete, Vinyl, Linoleum, Tile and Laminate Flooring, 32" W x 100' L, 1 roll



Protects your spray booth floors and mixing room surfaces from build up by collecting the overspray, dust and particles that cause paint defects or create a fire hazard.

- Top surface helps attract and trap dust, dirt and paint and primer overspray before it causes paint defects during a spray job; mat keeps paint booth clean, bright and running efficiently
- Protect mixing room benches, tables or other work surfaces by cutting mat to the size you need
- Self-sticking adhesive back keeps mat securely in place without shifting, sliding or causing a trip hazard
- Installs quickly, peels up for fast, easy changeouts and lasts up to 3 months depending on amount of overspray and cleaning
- Durable enough for heavy foot and vehicle traffic; padding reduces noise and makes standing and kneeling more comfortable
- Bright blue and gray color options create better color matching and help to reduce casting and eliminate shadows and reflections
- Easy to control build up! No need to scrape or use chemicals to remove overspray from your floor; you can sweep or vacuum daily to remove dried overspray, dust and debris
- Helps extend the life of paint booth filters
- Apply to clean, dry surface; scrape loose build up to ensure adherence
- Not for vertical surfaces
- Add tape over the seams to reduce fraying of the edges, prevent air particulates from being trapped under the mat and help preserve the lifecycle of the mat
- Meets NFPA33 – Static Dissipative & OSHA Standards at conditions of 50% RH or higher





Item#	Description	Dimensions	Weight
MAT32300-BL		32" W x 100' L	25 lbs.
MAT32300-GY		32" W x 100' L	25 lbs.

Metric Equivalent:

Item#	Description	Dimensions	Weight
MAT32300-BL		81cm W x 30m L	11.3 kg
MAT32300-GY		81cm W x 30m L	11.3 kg

Specifications

Dimensions	32" W x 100' L
Mat Weight	Mediumweight
Recycled Content	25% or more Recycled Content
Brand	PIG
Category	Paint Booth Absorbent Mat
Flammability Specifications	Flame Resistant - Will melt and self-extinguish
Fluid Absorbed	Paints; Stains; Solvents
Indoor/Outdoor	Indoor Use
Incinerable	Yes
Industry	Automotive Painting & Refinishing
Intended Use	Indoor Use on Concrete, Vinyl, Linoleum, Tile and Laminate Flooring
Traffic	Vehicle Traffic; Heavy Foot Traffic
UV Resistant	No
Sold as	1 roll
Weight	25 lbs.
# per Pallet	13
Composition	Absorbent: Polypropylene Stitching: Polyester Adhesive Backing: Proprietary Adhesive Material
UNSPSC	47131901
Pigalog® Page Number	Page 254

Metric Equivalent

Weight	11.3 kg
Dimensions	81cm W x 30m L

Technical Information

Certifications, Approvals and Ratings

NFSI Certified,ANSI B101.1- 2009,ANSI/ESD STM11.11,MIL-STD-3010C

Technical Documents

[PIG Grippy® Absorbent Mat](#)

[New Pig Adhesive-Backed Mat Disclaimer and Warranty Info](#)

[Instructions for PIG Paint Booth Mat with Adhesive Backing](#)

[Technical Data Sheet for PIG® Adhesive-Backed Grippy Mat](#)

[White Paper- The Walk Zone Safety Report](#)

[29 CFR 1910.22\(a\)\(2\)](#)

Disclaimers

[Safety Instructions Regarding PIG Grippy Absorbency and Flame Resistance](#)

All absorbents, including Grippy Absorbent Mats, take on the properties of the liquids they have absorbed, including flammables. When handling used absorbents, including Grippy Absorbent Mats, you must utilize all necessary safety precautions that are required to safely handle the liquid which has been absorbed. This includes taking proper precautions against potential ignition in handling and disposal of these mats if they have absorbed flammable liquids. For further assistance, please call Technical Services.

Adhesive Notice

All adhesive mats have some potential to leave residue, lift and/or discolor 1) surface finish, 2) surface coating, 3) paint, 4) loose or previously damaged tiles. For these reasons and others, if you have questions about the suitability of New Pig Adhesive-Backed Mats or Films for your application, test a small section of the mat in a discreet or non-critical area before using on larger areas.



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com